

**SCREENING STANDARDS** 

NEW Commercial Projects
INDEX 3

Applicant Services Center 700 Fifth Avenue, Suite 2000 P. O. Box 34019 Seattle, WA 98124-4019

Phone: (206) 684-8850

Hours: M/W/F, 7:30am-5:30pm; T/Th, 10:30am-5:30pm

## **New Commercial Projects - General Responsibilities**

<u>Screening Responsibilities:</u> These standards are all required for a complete application and prior to routing for a review, but individually, are not a reason to reject an application. The screener must look at all aspects of a project submittal and determine whether the combination of missing items can be added during the intake time constraints.

"Project stoppers" are corrections that require a substantial redesign.

**Applicants** are responsible for insuring that their submittal meets this checklist and standards prior to intake. The limited time of intake is not intended for applicants to complete their application materials.

<u>O/S Screener</u>: In coordination with the LU Screener, is responsible for the Project Description, the Land Use Considerations from the checklist and verifying the Legal Description matches the legal description approved by addressing. Also, responsible to verify plans and submittals are complete for building, energy/mechanical reviews, building code items:

- · Stories and basements
- Type of construction
- Occupancy groups
- Construction Considerations from the checklist
- Accessibility Considerations
- Fees
- Identifying review locations
- O/S IP hours

<u>LU Screener</u>: In coordination with the O/S Screener is responsible for the Land Use Considerations from the checklist, Project Description and verifying the legal description matches the legal description approved by addressing. Responsible for checking ArcView map to verify zoning and site characteristics.

- Locations of structure(s)
- Parking layout
- Zoning overlays and adjacent zoning
- Completeness of plans and submittals for Zoning Review including easements, No Protest Agreement, etc.
- Use per Land Use Code
- Land Use review locations
- Zoning IP hours

Revised 7/29/04 Page 1 of 13

# New Commercial Projects – General Requirements Overview Screening Overview (SCOPING):

#### **Cover Sheet Completed**

- Project Address matches the Address assigned by DPD
- <u>All</u> portions of Cover Sheet completed including contact information, related projects, zone
  and proposed uses, building data, construction value, fire protection, and where
  information is indicated on the plans, Energy/Mechanical Code Compliance information,
  parking information, etc.

#### Forms – all forms must be completed (Including but not limited to))

- Financial Responsibility Form
- Contact Disclosure Form
- Pre-Site Inspection
- Energy Calculations

#### Project matches addressing review

- Legal description matches legal description reviewed by Addressing
- Plot Plan matches Plot Plan reviewed by Addressing
- Address on all sheets match DPD Project Address

#### Plot Plan, Floor Plan and Elevations agree

#### All Plans and notes indicated in Screening Checklist are included

#### **Plans are Microfilmable**

- Good Contrast
- Minimum ¼ inch for all plans
- Minimum 1/8 inch lettering (if handwritten)
- Minimum 1/8<sup>th</sup> inch or 1:10 for plot plan

#### **Number of Plans Required**

 Four (one additional for restaurants, one additional if SEPA, three additional for shoreline, and one additional for ECA). Identical Sets of Plans with Complete Coversheets and stapled.

#### **Structural Calculations Included**

Revised 7/29/04 Page 2 of 13

# **ARCHITECTURAL PLANS**

## **Plot Plan**

Req	Prov	
Gene	eral Info	<u>ormation</u>
$\boxtimes$		Project site address
$\boxtimes$		Scale 1" = 10' or 1/8" = 1'
$\overline{\boxtimes}$		Legal description(s) (Include easement legal description and recording number)
$\overline{\boxtimes}$		King County Assessor's Parcel Number (APN)
Ħ	一	North Arrow
Stree	et and	Alley Information
		Names and width of adjacent streets
Ħ	Ħ	Street and Alley right-of-way width
Ħ	Ħ	Street, alley improvement type and width (asphalt, concrete, gravel or specify
		"unimproved").
$\boxtimes$		Sidewalk location or specify "no sidewalk"
Ħ	Ħ	Curbcut width and distance from adjacent property lines
Ħ	Ħ	Label curbcut as "existing" or "proposed
	H	Identify other structures in right-of-way (all utility poles, rockeries, street trees,
	Ш	Metro Bus Stops, etc.).
$\boxtimes$		Curb height and type (concrete, rolled asphalt or specify "no curbs")
	H	Identify and locate new street trees
	H	Identify existing and finished grade elevation of driveway and pedestrian access
	Ш	points at property line
$\boxtimes$		Identify all physical restrictions to the site access (utility poles, rockeries, street
		trees, Metro Bus stops, etc.)
Deve	alonme	nt Information
		Indicate location of all structures to be demolished
	H	Dimension all portions of structure(s)
Ħ	H	Dimension distances from structures to property lines
	片	Dimension distances between structures on property
	H	Dimension and label all portions of the structure (exterior walls, porches, decks,
	Ш	stairs, cantilevers, roof overhangs, etc.)
		Identify accessory structures and dimension distances from other structures and
Ш	Ш	property lines
		Building Identifier for each building (if more than one building on site)
H	H	
Ш	Ш	Locate and dimension rockeries, site retaining walls, fences, arbors, trellises, patios, walkways, etc.
		Identify and dimension all areas of outdoor storage, outdoor sales
H	片	· · · · · · · · · · · · · · · · · · ·
H	님	Identify and dimension all queuing lanes and spaces
H	님	Show and identify existing trees
$\square$	님	Identify caliper and species of exceptional and significant trees
$\bowtie$	$\vdash$	Construction access details
님	$\vdash$	Identify and dimension all areaways and/or window wells
H	$\vdash$	Label and dimension assumed property lines
	님	Quantity of grading when not incidental to construction
$\bowtie$		Identify existing and finished grade contours

Revised 7/29/04 Page 3 of 13

# Plot Plan - continued

Req	Prov	
<u>Heig</u>	ht Info	<u>rmation</u>
		Identify existing and finished grade at each building corner For pitched roofs – identify elevation at top of plate, top of roof peak(s), top of deck, if applicable
		For flat roofs, identify elevation at top of roof structure, top of roof deck, top of penthouses, if applicable
Addi	itio <u>nal</u>	Requirements – Sloping lot height bonus documentation
		Locate and identify the average elevation point on high grade wall  Locate and identify the average elevation point on low grade wall
	n Snoo	Show and dimension line between average high point and average low point
	n Spac	Label and dimension areas of open space Indicate location of trees, shrubs and groundcover
<u>Park</u>	<u>ing Inf</u>	ormation (see page 5 for requirements)
		Label and dimension surface parking spaces (driveways)
Exiti	ng Info	rmation
$\boxtimes$		Indicate exits to public way Indicate door swing of exits
Buil	ding I	D Plan
		Each building to be given an ID number consistent with plans on file with DPD if there is more than one structure on the site
Arc	hitectı	ural Notes (Unless specified on details or framing and floor plans)
$\boxtimes$		Code Edition (Such as year, including amendments)
		Elevator Notes.
		Fireproofing Notes
		Sprinkler Types
	Щ.	Alarm Required
Mec	<u>hanical</u>	
H		Code Edition (Such as year, including amendments)  Mechanical Equipment Schedule
Ener	gy Not	
$\square$		Identify Code Edition (such as year, including amendments)
		Identify heat source
$\overline{\boxtimes}$		Identify compliance path
$\boxtimes$		Envelope Summary for Energy Code Compliance
Land Use Code Analysis and Documentation		
The following notes and calculations are required to demonstrate compliance with the Land Use Code. Dimensions and documentation on plans should clearly support your calculations.		
Stru	<u>cture</u> H	
$\bowtie$		Identify maximum structure height allowed
		Identify proposed structure height
Ш		Identify exceptions used (i.e. pitched roof, rooftop features, sloped lot height bonus, mixed use exceptions)

Revised 7/29/04 Page 4 of 13

Projects - INDEX 3 Land Use Code Analysis and Documentation - continued Req Prov Sloping lot height bonus documentation (calculate to nearest inch) Show calculations for average elevation of low grade wall Show calculations for average elevations of high grade wall Show calculations for difference between average high and average low elevations Identify distance between average low point and average high point Show calculations for slope on lot (difference in average elevations divided by distance between these points.)  $\boxtimes$ Show calculations for additional height allowed (slope of lot divided by .06) **Light and Glare** Identify height of exterior lighting on poles Note "Interior lighting of parking garages shall be shielded to minimize nighttime glare from affecting nearby uses". X Identify areas to be screened (i.e. parking areas, recycling areas, interior garage lighting, etc.) Parking Information – surface parking and/or parking within the structure **General Information** Identify use Identify area (in square feet) of use Identify parking requirements for use (i.e. 1 space per 350 square feet) Bicycle parking shown Parking calculations for all uses in building utilizing appropriate exceptions Width and depth of parking stalls dimensioned Parking angle identified Parking aisles dimensioned Barrier Free Parking and aisles shown and dimensioned including van height clearance. Driveways shown and dimensioned Identify driveway slope Curbcuts shown and dimensioned Show and identify landscaping of surface parking area. Show screening of parking, drive through lanes Offsite Parking Fully dimensioned site plan for off-site parking, showing all parking spaces on site. Covenant parking spaces identified on site plan for off-site parking Parking Covenant completed with legal descriptions of both sites If transit reduction is proposed Show location of transit stops for bus Indicate distance from property line(s) to transit stops Include a copy of bus schedule(s) **Building Code Analysis and Documentation** Construction type Number of stories

Revised 7/29/04 Page 5 of 13

Allowable area Calculations/Mixed occupancy ratio

Type of Sprinkler Systems provided

Fire Alarm provided

Desite.		On the Amelian in and the common to the common to	Trojects INDEX C		
Req		Code Analysis and documentation - continued			
		Height calculations Type of occupancy FAR calculations Egress/exiting analysis Stair/elevator shaft pressurization requirement or lobby requirer High-rise provisions if applicable Accessibility conformance Development standard departure(s) approved through design re Height above lowest Fire Department access Occupant load of common areas including roof decks  ity Analysis  Total number of parking spaces Number of barrier free parking spaces provided			
		Identify area of evacuation assistance Path of travel to commercial spaces Van stall location(s)			
Mean	s of	Egress/Exiting Plan – (can be included on floor plans)			
		Occupant load calculations Show exit door (and swing) for each room Rating of corridors, exit enclosure and stairs including doors Show hallways and/or non-rated corridors Show and dimension exit separation Identify horizontal exits and refuge areas Identify exit passageways/enclosures Show building exits Show swing of building exit doors Width of corridors and stairways			
	Floor Plans				
		North arrow.  Microfilmable lettering and plan quality Label floor level (1 <sup>st</sup> , 2 <sup>nd</sup> , basement, etc.) Use of each room Reference call-outs for cross sections and details  information			
Floor	plan	<u>information</u>			
		Overall dimensions (exterior wall to exterior wall) Overall dimensions of tenant space (if TI included in permit) Location and dimensions of hallways, corridors, rooms, foyers, e Location of walls and shafts and reference to details (Wall typ construction type, fire rating, etc)			
$\boxtimes$		Location of interior and exterior doors, windows and relites Dimension door size or provide door schedule			

Revised 7/29/04 Page 6 of 13

Req	Prov	
Floor	r plan	information - continued
		Distance from door to adjacent walls (latch side for accessibility) Identify and fully dimension accessible restrooms (layout and full accessibility dimensions may be shown on separate plan)
		Show location of medical gas storage Show and dimension decks, landings, etc. Indicate location of ramps and their slope Location of exit signs and exit pathway lighting Indicate location of mezzanines (separate dimensioned floor plan for mezzanine required)
		Location of fire walls Identify Area of evacuation assistance
<b>Stair</b>	Inforr	nation `
		Locate stairs Dimension width and length of landing Indicate rise and run Show handrail information Show guard information (rail height and spacing of intermediate rails) Show headroom height Locate and dimension roof hatch
Roo	f Plar	1
		Indicate slope, drainage, and overflow Locate fire walls Locate and dimension all roof openings Locate skylights Show extent of roof decks, if any Dimension and locate all roof top mechanical equipment, elevator, stair and mechanical penthouses Locate draft stops Locate attic access
Eleva	ation	Views
Gene	eral Inf	<u>formation</u>
		Microfilmable lettering and plan quality Show and label north, south, east and west elevation views Show property lines Indicate exterior materials (for Special Review District, Landmark structures or prior
		Design Review approval) Show and dimensions exterior architectural features Location of doors and windows Show location of existing and proposed finished grades Provide floor plate heights Show extent of basements and basement floor plate heights Dimension blank façade lengths (when required by LU code) Dimension transparent areas of façade (when required by LU code)

Revised 7/29/04 Page 7 of 13

## **Elevation Views - continued**

Req Prov

General Information - continued			
		Dimension building height per building code analysis	
$\boxtimes$		Show and dimension roof top mechanical equipment, elevator and stair penthouses	
$\overline{\boxtimes}$		Identify the elevation of the lowest Fire Department Access	
$\overline{\square}$	一	Show all vents (for odors, smoke, fumes, etc.) and dimension distance above	
		sidewalk.	
$\boxtimes$		Dimension distance from top plate to highest point(s) of the structure	
	H	Dimension height of parapets	
H	H	Indicate slope of pitched roofs	
	H		
	H	Identify the elevation of each floor	
		For pitched roofs – identify elevation at tope of plate, top of roof peak(s), and top of	
		roof desk, if applicable.	
$\boxtimes$		For flat roofs - identify elevation at top of roof structure, top of roof decks, if	
		applicable and top of parapets.	
$\boxtimes$		Height of setback exceptions (decks, porches, stairs) from existing or finished	
		grade, whichever is lower.	
		Height of cantilevered portions of structure from grade	
		Details of open railings on decks if yard or height exceptions used	
Buildi	na S	ections	
	<u>ral Info</u>	<u>ormation</u>	
$\square$		Migrafilmoble lettering and plan quality	
		Microfilmable lettering and plan quality	
	H	Reference call-outs to construction details	
		Reference call-outs to construction details	
		Reference call-outs to construction details Locate property lines	
		Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used	
		Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used Dimension all floor-to-floor height. Identify all floor levels including basement and	
		Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used Dimension all floor-to-floor height. Identify all floor levels including basement and mezzanines	
		Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used Dimension all floor-to-floor height. Identify all floor levels including basement and mezzanines Show horizontal fire barrier	
		Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used Dimension all floor-to-floor height. Identify all floor levels including basement and mezzanines Show horizontal fire barrier Illustrate mixed construction conditions (total height of the building, height from top	
		Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used Dimension all floor-to-floor height. Identify all floor levels including basement and mezzanines Show horizontal fire barrier Illustrate mixed construction conditions (total height of the building, height from top of the fire barrier, specify all occupancies, specify all types of construction).	
		Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used Dimension all floor-to-floor height. Identify all floor levels including basement and mezzanines Show horizontal fire barrier Illustrate mixed construction conditions (total height of the building, height from top of the fire barrier, specify all occupancies, specify all types of construction). Show existing and finished grade	
		Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used Dimension all floor-to-floor height. Identify all floor levels including basement and mezzanines Show horizontal fire barrier Illustrate mixed construction conditions (total height of the building, height from top of the fire barrier, specify all occupancies, specify all types of construction). Show existing and finished grade Show all fire walls and their extent	
		Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used Dimension all floor-to-floor height. Identify all floor levels including basement and mezzanines Show horizontal fire barrier Illustrate mixed construction conditions (total height of the building, height from top of the fire barrier, specify all occupancies, specify all types of construction). Show existing and finished grade Show all fire walls and their extent Illustrate unusual conditions (unusual ceiling configurations, etc.)	
		Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used Dimension all floor-to-floor height. Identify all floor levels including basement and mezzanines Show horizontal fire barrier Illustrate mixed construction conditions (total height of the building, height from top of the fire barrier, specify all occupancies, specify all types of construction). Show existing and finished grade Show all fire walls and their extent Illustrate unusual conditions (unusual ceiling configurations, etc.) Show energy code information such as insulation	
		Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used Dimension all floor-to-floor height. Identify all floor levels including basement and mezzanines Show horizontal fire barrier Illustrate mixed construction conditions (total height of the building, height from top of the fire barrier, specify all occupancies, specify all types of construction). Show existing and finished grade Show all fire walls and their extent Illustrate unusual conditions (unusual ceiling configurations, etc.) Show energy code information such as insulation Show wall, footing and under slab drains	
		Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used Dimension all floor-to-floor height. Identify all floor levels including basement and mezzanines Show horizontal fire barrier Illustrate mixed construction conditions (total height of the building, height from top of the fire barrier, specify all occupancies, specify all types of construction). Show existing and finished grade Show all fire walls and their extent Illustrate unusual conditions (unusual ceiling configurations, etc.) Show energy code information such as insulation	
	ection	Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used Dimension all floor-to-floor height. Identify all floor levels including basement and mezzanines Show horizontal fire barrier Illustrate mixed construction conditions (total height of the building, height from top of the fire barrier, specify all occupancies, specify all types of construction). Show existing and finished grade Show all fire walls and their extent Illustrate unusual conditions (unusual ceiling configurations, etc.) Show energy code information such as insulation Show wall, footing and under slab drains Provide parapet framing details, dimension height	
	ection	Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used Dimension all floor-to-floor height. Identify all floor levels including basement and mezzanines Show horizontal fire barrier Illustrate mixed construction conditions (total height of the building, height from top of the fire barrier, specify all occupancies, specify all types of construction). Show existing and finished grade Show all fire walls and their extent Illustrate unusual conditions (unusual ceiling configurations, etc.) Show energy code information such as insulation Show wall, footing and under slab drains Provide parapet framing details, dimension height	
	ection	Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used Dimension all floor-to-floor height. Identify all floor levels including basement and mezzanines Show horizontal fire barrier Illustrate mixed construction conditions (total height of the building, height from top of the fire barrier, specify all occupancies, specify all types of construction). Show existing and finished grade Show all fire walls and their extent Illustrate unusual conditions (unusual ceiling configurations, etc.) Show energy code information such as insulation Show wall, footing and under slab drains Provide parapet framing details, dimension height  Rise and run dimensions	
Stair So	ection	Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used Dimension all floor-to-floor height. Identify all floor levels including basement and mezzanines Show horizontal fire barrier Illustrate mixed construction conditions (total height of the building, height from top of the fire barrier, specify all occupancies, specify all types of construction). Show existing and finished grade Show all fire walls and their extent Illustrate unusual conditions (unusual ceiling configurations, etc.) Show energy code information such as insulation Show wall, footing and under slab drains Provide parapet framing details, dimension height  Rise and run dimensions Dimension headroom height	
	ection	Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used Dimension all floor-to-floor height. Identify all floor levels including basement and mezzanines Show horizontal fire barrier Illustrate mixed construction conditions (total height of the building, height from top of the fire barrier, specify all occupancies, specify all types of construction). Show existing and finished grade Show all fire walls and their extent Illustrate unusual conditions (unusual ceiling configurations, etc.) Show energy code information such as insulation Show wall, footing and under slab drains Provide parapet framing details, dimension height  Rise and run dimensions Dimension headroom height Handrail information (grasp requirements, extensions, and returns)	
	ection	Reference call-outs to construction details Locate property lines Show retaining walls or extent of shoring if used Dimension all floor-to-floor height. Identify all floor levels including basement and mezzanines Show horizontal fire barrier Illustrate mixed construction conditions (total height of the building, height from top of the fire barrier, specify all occupancies, specify all types of construction). Show existing and finished grade Show all fire walls and their extent Illustrate unusual conditions (unusual ceiling configurations, etc.) Show energy code information such as insulation Show wall, footing and under slab drains Provide parapet framing details, dimension height  Rise and run dimensions Dimension headroom height	

Revised 7/29/04 Page 8 of 13

## Typical Wall Section - extending from roof/ceiling assembly to floor/ceiling assembly

Req	Prov	
Roof	<b>Detail</b>	
		Framing Members Insulation R-Value Sheathing Reging Material
		Roofing Material Fire Resistive Assembly
$\boxtimes$		Roof ventilation
Ceili	ng Deta	<u>iil</u>
$\boxtimes$		Distance from ceiling to floor and roof assembly above Seismic bracing.
Wall	<u>Detail</u>	
Interi	ior wall	s and partitions
		Size and grade, type and number of top and bottom plates
	$\square$	Size, grade, type and spacing of studs
	H	Sheathing, including Fire resistive assembly
	H	Height of wall or partition  Connection or bracing at ceiling and floor
X	Ħ	Elevator/stair or other shaft walls if not shown as wall details
		Fire walls
Exte	rior Wa	II Details
		Size and type of wall material Size, grade, type and number of top and bottom plates Size, grade, type and spacing of studs Store front and/or Window framing
		Canopy/Awning Details  Exterior side: Siding, weather protection, structural sheathing (thickness and material); Veneer type (brick, stone) thickness and attachment. Fire resistive assembly if appropriate.
		Interior side: Insulation R-Value and type; Wall covering material and thickness
$\bowtie$		(usually gypsum wall board). Fire Resistive Assembly
	r Detail	· · · · · · · · · · · · · · · · · · ·
		Fire Resistive Assembly requirements
		Insulation requirements
$\boxtimes$	Ш	Floor framing
Refle	cted C	Ceiling Plan (if included)
		Show areas where there are dropped ceilings, soffits, and custom designed ceilings. Location of lights Fire Resistive Information Lighting schedule. Location of exit lights (should be on floor plan) Reference call-outs for cross sections and details Seismic bracing detail if not on Details Page

Revised 7/29/04 Page 9 of 13

Door	Mina	low Schedule	Projects - INDEX 3	
Req		low Schedule		
		Provide fire ratings, U-Values, type, size and special hardware		
Construction Details				
Gener	al Info	<u>rmation</u>		
$\boxtimes$		Microfilmable lettering and plan quality (3/4" = 1' or larger is construction detail so detail is clearly presented)	commonly used for	
Roof I	<u>Details</u>			
		Scupper Box Parapet/Cornice Detail Roof Deck details if used Roof framing detail Roof vent		
		Roof drain and overflow		
Floor	<u>Details</u>			
Wall D	Octails	Floor framing, fire resistive assembly Floor deck details, if used (fire resistive assembly, vents railing) Window well details, if used (width, height, and egress ladder)		
		Wall framing, fire resistive assembly		
	Ħ	Stair/elevator shaft wall details		
$\overline{\boxtimes}$		Fire barrier wall details		
$\boxtimes$		Type of construction wall details		
Watch			action	
2. Whe	en multi sual cei ailed inf	must show the location of the section cut and reference the Building S ple conditions are proposed and clarity is critical in order to show code ling conditions), multiple building sections or partial sections may be approximation, such as a stair section, may be on the Building Section as location.	e compliance (such as opropriate.	
Land	scape	e Plan – DR 13-92		
		Lot Area  Total square footage of: 1) required open space; 2) provided	onen space and 3)	
	Ш	required landscaped area.	open space and 3)	
		Number of trees, number of shrubs and quantity of ground cove	r required.	
		List common and botanical names of all plant material For parking lots and all other required landscaped areas: dimen	sions of tree planting	
		area and location of vehicle stops		
	Ш	If existing plants are required to be retained, show location indicate how the plants will be protected during demolition and/o	•	
		For roof top container landscaping: a schematic irrigation and and depth of plant containers	drainage plan; size	
$\bowtie$		Specifications for soil improvement		
		For street trees: width of planting strip; existing utility lines, p structures located within the planting strip; and species and diar		

Revised 7/29/04 Page 10 of 13

# **STRUCTURAL PLANS**

Stru	uctural	Notes
Req	Prov	
$\bowtie$		General Notes
$\Box$		Reinforced Concrete Masonry Notes
一同	一	Steel Floor/Roof Deck Notes
M	Ħ	Cast-In-Place Concrete Notes
		Concrete Reinforcement Notes
	H	Post-tensioned Concrete Notes
H		Structural Steel Notes
Η	H	
H	H	Cold-Formed Steel Framing
H		Steel Stairs
닏		Wood Framing Notes
		Shop fabricated wood joists, beams and trusses
		Testing and Inspection notes
Des	<u>ign Crit</u>	
$\boxtimes$		Code Edition (Such as year)
$\boxtimes$		Floor Dead Load and Live Load
$\boxtimes$		Roof Dead Load and Snow Load
$\boxtimes$		Wind Exposure and Speed
$\boxtimes$		Seismic Zone and Rw
$\boxtimes$		Soil Bearing Capacity
Four	ndation	n Plan
Gan	eral Info	ormation_
		North Arrow
	H	Microfilmable lettering and plan quality
	H	Reference call-outs for cross sections and details
Foot	ting and	I foundation information
		Overall dimensions
		Location and dimensions of columns
	H	Dimension and locate spread footings (Or provide footing Schedule).
		Dimension continuous footings or grade beams and foundation walls (width,
		height) or reference detail.
		Show thickness of slab
	$\vdash$	Show post below floor framing
		Locate and identify all steps in footing, retaining walls and/or foundation
		Show hold-down location and size
$\bowtie$		Show all shearwalls, indicate construction detail including nailing schedule
		Show locations of Pile and Pile Caps
Floo	r Fram	ing Plans
Gen	eral Info	ormation_
		North Arrow
$\overline{\boxtimes}$		Microfilmable lettering and plan quality
$\overline{\boxtimes}$	Ħ	Reference call-outs for cross sections and details
		Identify floor (1st Floor, 10th Floor, etc.) and framing level

Revised 7/29/04 Page 11 of 13

## Floor Framing Plans - continued

Req Prov Framing Information Size and spacing of framing members (i.e. joists, beams) Size and span of headers, beams, etc. Dimension and size of framing around openings in floors, ceilings and other horizontal diaphragms. Locate all bearing walls and supporting floor framing Show all ledger connections Show all shearwalls, indicate construction detail including nailing schedule Show all diaphragms, indicate construction detail including nailing schedule Show steel Moment Frames/Braced Frames Specify concrete floor slab thickness, rebar size and spacing Show rebar information around openings in floor Show all concrete shearwalls and their rebar information or provide rebar schedule. Show all concrete post-tensioned floor tendon or rebar information Show concrete column cap **Roof Framing Plan General Information** North Arrow Microfilmable lettering and plan quality Reference call-outs for cross sections and details **Framing Information** Specify header/beam, joist sizes and span Specify truss span, spacing, type Specify all diaphragms indicate construction detail including nailing/blocking Specify size of framing around roof openings and other horizontal diaphragms. Show Steel Moment Frames/Braced Frame Specify steel deck/concrete diaphragm Specify concrete roof slab thickness, rebar size and spacing Show rebar information around openings in roof Show all concrete shearwalls and their rebar information or provide rebar schedule. Show all post-tensioned concrete roof tendon and rebar information Show concrete column cap Structural Details Foundation/Basement Wall/Retaining Wall Details Fully dimension Detail differing conditions (reference to detail required on foundation plan) Specify connection to post, beams, etc. Specify footing depth below grade Indicate depth of cut in relation to the property line Specify footing/wall rebar location and size or provide rebar schedule Specify connection to post, beams, etc. Show concrete/steel column elevation details

Revised 7/29/04 Page 12 of 13

## **Structural Details - continued**

кеq	Prov	
Fou	<u>ndation</u>	/Basement Wall/Retaining Wall Details - continued
		Specify column rebar detail or provide rebar schedule  Elevator pit detail  Characteristics of factions of building(a) and discount man articles.
		Show approximate location of footings of building(s) on adjacent properties
F100	<u>r Framii</u>	ng Detail
		Sheathing material, thickness and connection, steel deck material and/or slab thickness and rebar
$\boxtimes$		Show structural members and their connections
$\boxtimes$		Provide concrete beam elevation and rebar details
$\boxtimes$		Foundation information or reference to separate detail
$\overline{\boxtimes}$	$\Box$	Fire Resistive Assembly requirements
$\overline{\boxtimes}$		Steel light gage framing details
Shea	arwall D	<u>etails</u>
		Show all Shearwall construction and assembly details Shearwall schedule
	H	Sheathing material, thickness
	H	Required nail size, spacing
	H	· · · · · · · · · · · · · · · · · · ·
	H	Top and bottom plate connection to diaphragm
H	H	Design capacity  Floor to floor transfer details (hold down strop details)
님	H	Floor to floor transfer details (hold down strap details)
Mico		Diaphragm to shearwall connections
<u>IVIISC</u>	<u>elianeo</u>	US Details
	H	Rockery/ecoblock cross section
	H	Rated wall construction details if not provided elsewhere
Ä	님	Masonry veneer connection detail if not shown on wall details
$\bowtie$		Ledger connection (member size, connection size, and spacing) if not provided on framing plan

Revised 7/29/04 Page 13 of 13